

FIG. 1A




FIG. 1B




FIG. 2




FIG. 3







FIG. 5A





2007-06-06 10:00




FIG. 5D






FIG. 5E

2007-03-21-00

Delphi 3 - smtpmail  
File Edit Search View Project Run Component Database Tools Workgroups Help

Standard Additional Win32 System Internet Data Access Data Controls Decision Cubes QRReport Diagnostics Win 3.1 Samples ActiveX

Object Inspector  
reMessageText: TrichEdit

Properties Events  

Align	alClient
Alignment	alJustify
BorderStyle	bsSingle
Color	clWindow
Ctl3D	True
Cursor	crDefault
DragCursor	cdDrag
DragMode	dmManual
Enabled	True
Font	(TFont)
Height	289
HelpContext	0
HideScrollBar	True
HideSelection	True
Hint	
ImeMode	imDontCare
ImeName	
Left	0
Lines	0
MaxLength	0
Name	MessageText
ParentColor	False
ParentCtl3D	True
ParentFont	True
ParentShowHint	True
ParentText	False

MAIN.PAS  
Main

```

while SMTP1.Busy do
  Application.ProcessMessages;

{Check global flag indicating addresses are in the correct format - if true
the text part of the message has been sent}
if not RecvVerified then
  begin
    MessageDlg('Incorrect address format', mtError, [mbOK], 0);
    Exit;
  end
else
  if cbSendFile.Checked then
    SendFile(
      Filename: String 551
    );
  end
else
    MessageDlg('Not connected to SMTP server', mtError, [mbOK], 0);
end;

{SMTP component will call this event every time its connection state changes}
procedure TForm1.SMTP1StateChanged(Sender: TObject; State: Smallint);
begin
  case State of
    prConnecting:

```

248 18 Modified Insert

Start Corel WordPerfect - ID:V... Delphi 3 Corel PHOTO-PAINT 7-P... 9:40 AM

FIG. 5F